


温度・湿度グラフ

2009/02/01 10:52'07



ch	Name	Intvl.	Sample	Cur. A	Cur. B	A<->B	Max.	Min.	Avg.	Unit
1	GROUP1 / 2-2onshi	10min.	2256	8.2	9.8	1.6	19.6	7.2	10.9	°C
2	GROUP1 / 2-2onshi	10min.	2256	-----	-----	-----	60	37	53.1	%RH
3	GROUP1 / 1-2on	10min.	2256	15.9	17.1	1.2	23.6	13.1	18.4	°C
4	GROUP1 / 1-3on	10min.	2256	21.2	22.6	1.4	28.6	17.2	22.0	°C
5	GROUP1 / 2-1onshi	10min.	2256	17.8	19.9	2.1	24.0	14.7	19.1	°C
6	GROUP1 / 2-1onshi	10min.	2256	-----	-----	-----	57	30	41.0	%RH
7	GROUP1 / 1-1on	10min.	2256	17.0	17.5	0.5	22.7	14.7	18.5	°C

Cur. A Date : 2009/01/26 3:41'30  
 Cur. B Date : 2009/01/27 6:50'45  
 diff. A-B : 1day 03:09'15

Data Range 2009/01/26 3:41'30-2009/01/27 6:50'45  
 Calc. Range 2009/01/16 14:06'40-2009/02/01 14:58'13